


FENÊTRE MAILCHIMP FOR SITEFINITY - INSTRUCTIONS V2

Installation

1. Find your Sitefinity version by navigation to Administration -> Version and Licensing. The version is shown on the top the screen:



2. Extract the following files from the folder corresponding with your Sitefinity version:
 - Fenetre.Sitefinity.MailChimpWidget.dll
 - MailChimp.Net.V3.dll
 - ServiceStackTextv3.dll
 - LicenseGenerator.dll
3. Copy the extracted files to the bin directory of your Sitefinity project
4. Restart your application
5. The Fenêtre MailChimp Widget is automatically added to the pages Toolbox; in the section “Fenêtre Add-ons”.

Web.config modifications

Because in Sitefinity old versions of some libraries are used, some changes in the web.config file must be done.

1. If not yet exist, add the following lines with the tag <configuration><runtime><assemblyBinding>:

```
<dependentAssembly>
  <assemblyIdentity name="System.Net.Http.Formatting"
publicKeyToken="31bf3856ad364e35" culture="neutral" />
  <bindingRedirect oldVersion="5.2.3.0" newVersion="5.2.2.0" />
</dependentAssembly>
<dependentAssembly>
  <assemblyIdentity name="Newtonsoft.Json" publicKeyToken="30ad4fe6b2a6aeed"
culture="neutral" />
  <bindingRedirect oldVersion="0.0.0.0-9.0.0.0" newVersion="6.0.0.0" />
</dependentAssembly>
```


Usage

1. Drag-and-drop the Fenêtre MailChimp Widget on a page
2. Click “Edit” to set the correct options for the widget
3. Select a form to show on the page
4. Go to the tab MailChimp settings
5. Specify the MailChimp API Key. This will prompt a reload of the Mail List dropdown.

6. Specify the MailChimp Mail List. Changing this, will prompt a reload of the Mapping.
7. Map the form fields (left) with any of the Mail Chimp Mailinglist fields (right, in the select boxes)
8. Specify the (MailChimp) Category grouping optionally.
9. Specify the Group Name optionally. This is one of the groups inside the main groups in MailChimp.
10. Specify the MailChimp options for Double opt-in, Update existing member, Replace interests groups and Send welcome message.
11. Save the widget
12. Publish the page

Screenshots

Screenshot 1 : MailChimp Widget settings




The screenshot shows a dialog box titled "Forms" with a close button (X) in the top right corner. The dialog is organized into several sections:

- Select a form**: A section with a right-pointing triangle icon.
- MailChimp settings**: A section with a downward-pointing triangle icon, containing:
 - API Key**: A text input field.
 - Mail list**: A dropdown menu with "Sitefinity Test Lijst" selected.
 - Mapping**: A table with two columns: "Form fields" and "MailChimp fields".

Form fields	MailChimp fields
Voornaam	Voornaam
Achternaam	Achternaam
Organisatie	Organisatie
Email	Email
FormTextBox	
 - Grouping category**: A dropdown menu with "Group" selected.
 - Groups**: A dropdown menu with "A" selected.
- MailChimp subscription**: A section with a right-pointing triangle icon.

At the bottom of the dialog, there is an "Advanced" button and a "Save" button (with a green checkmark icon) followed by the text "or Cancel".

Screenshot 2 : MailChimp Widget options



The screenshot shows a dialog box titled "Forms" with a close button (X) in the top right corner. The dialog contains the following options:

- ▶ Select a form
- ▶ Mail Chimp Settings
- ▼ Mail Chimp Options
 - Double opt-in
 - Update existing
 - Replace interests
 - Send welcome message

At the bottom of the dialog, there is a "Save" button with a green checkmark icon, followed by the text "or Cancel" in red, and an "Advanced" button.

Screenshot 3 : Field settings form : "Predefined value" field can be used as a hidden field on a form to collect extra subscription data, through mapping in the MailChimp widget. For a form field to be hidden on the form in the MailChimp widget, set the "description" setting in Advanced on "hidden" (see below).

Textbox [X]

Label and texts | Limitations | Appearance

Label
Organisatie
Example: *First name*

Instructional text
[Empty text area]
Displayed below the textbox. Suitable for giving examples and instructions how the entered value will be used

Predefined value ← [Red arrow]
Organisaton

Make required

▶ **Advanced: Name for developers**

[Red arrow pointing to 'Advanced' button]

[Save] or [Cancel] [Advanced]

Screenshot 4: Hide field on MailChimp Form.

DefaultStringValue
Organisaton

DefaultValue
Organisaton

Description ← [Red arrow]
hidden

DisplayMode

Screenshot 5 : MailChimp Grouping structure as used in screen 1 under “grouping category” and “groups”

Stats ▾ Manage subscribers ▾ Add subscribers ▾ Signup forms Settings ▾ Q

Groups Create Groups

Category edit Category Grouping Hidden Delete Hide Groups

⋮ Algemeen Edit Group (name) 2 subscribers	Delete · Import to · Send to ▾
⋮ Automotive · Edit 1 subscribers	Delete · Import to · Send to ▾
⋮ Juridisch · Edit 1 subscribers	Delete · Import to · Send to ▾
⋮ Telecom · Edit 1 subscribers	Delete · Import to · Send to ▾
⋮ Uitgeverij · Edit 0 subscribers	Delete · Import to · Send to ▾

Add Group